

**RESIDENTIAL**



PRODUCT	
<b>UUVS-CBA</b>	Clear Blue® Advanced 16" UVC Germicidal Coil Cleaner

REPLACEMENT PARTS	
<b>UUVS-LP160T5</b>	T5 Germicidal (UVC) Replacement Lamp
<b>UUVS-BUV-18-32ADV</b>	Replacement Ballast
<b>UUVS-LS</b>	Lamp Socket
<b>UUVS-RMT-KIT</b>	Remote Kit
<b>UUVS-VP</b>	Viewport
<b>UUVS-MAG-BKT</b>	Magnetic Mounting Bracket
<b>UUVS-LMPH</b>	Lamp Locking Ring with Hardware
<b>UUVS-WDC</b>	Warning Decals
<b>UUVS-CBA-SD</b>	Step-down Transformer 120/24V

WARRANTY	
<b>BALLAST</b>	LIFETIME
<b>LAMP</b>	ONE YEAR



PRODUCT	
<b>UUVS-CBM</b>	Clear Blue® Master 16" UVC Germicidal Coil Cleaner

REPLACEMENT PARTS	
<b>UUVS-LP160T5</b>	T5 Germicidal (UVC) Replacement Lamp
<b>UUVS-BUV-18-32OC</b>	Replacement Ballast
<b>UUVS-LS</b>	Lamp Socket
<b>UUVS-CBM-PS</b>	Step-down Transformer 120/24V
<b>UUVS-BASE-KT</b>	Mounti
<b>UUVS-RMT-KIT</b>	Remote Kit
<b>UUVS-LMPH</b>	Lamp Locking Ring with Hardware
<b>UUVS-WDC</b>	Warning Decals

WARRANTY	
<b>BALLAST</b>	LIFETIME
<b>LAMP</b>	ONE YEAR



PRODUCT	
<b>UUVS-PCO</b>	Clear Blue® PCO 16" UVC Germicidal Coil Cleaner

REPLACEMENT PARTS	
<b>UUVS-LP160T5</b>	T5 Germicidal (UVC) Replacement Lamp
<b>UUVS-BUV-18-32OC</b>	Replacement Ballast
<b>UUVS-LS</b>	Lamp Socket
<b>UUVS-CBM-PS</b>	Step-down Transformer 120/24V
<b>UUVS-PCO-GSKT</b>	Air Sealing Gasket
<b>UUVS-PCO-FLTR</b>	Replacement PCO Filter
<b>UUVS-PCO-HFLTR</b>	Hybrid PCO/Activated Carbon Filter
<b>UUVS-BASE-KT</b>	Base Mounting Plate with Wiring, Lamp Locking Ring with Hardware and Viewport
<b>UUVS-PCO-FRM</b>	PCO Mounting Frame
<b>UUVS-LMPH</b>	Lamp Locking Ring with Hardware
<b>UUVS-WDC</b>	Warning Decals

WARRANTY	
<b>BALLAST</b>	LIFETIME
<b>LAMP</b>	ONE YEAR

This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.

**COMMERCIAL**



**PRODUCT**

<b>QUASAR-PT8</b>	Germicidal (UVC) In-duct Air Purifier with Four Philips, T8, 18", 18000 Operating Hours, Lamps Mounted On Parabolic Reflectors with an Operating Voltage of 120V. For Light Commercial or Residential Use. Remote Not Included.
<b>QUASAR-PT8-220</b>	Germicidal (UVC) In-duct Air Purifier with Four Philips, T8, 18" 18000 Operating Hours, Lamps Mounted On Parabolic Reflectors with an Operating Voltage of 220V. For Light Commercial or Residential Use. Remote Not Included.
<b>QUASAR-PT8-EC</b>	Basic Model without Lamp Monitoring and Pressure Sensing Features. Continuous On Operation
<b>QUASAR-PRS</b>	On Demand Air Velocity Controller
<b>QUASAR-LMD</b>	Electronic Controller with Bad Lamp Indication, Pressure Sensing and Lamp Counter
<b>QUASAR-REM</b>	Remote
<b>QUASAR-BMS</b>	BMS

**REPLACEMENT PARTS**

<b>UUVS-LPT8PTUV</b>	Philips T8 Replacement Lamp, 18000 Operating Hours
<b>UUVS-BUV-UNI37</b>	Replacement Ballast - Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-RMT</b>	Remote Mount, NEMA Rated Control Box with Mounting Plate and Keypad
<b>UUVS-PLS</b>	Philips Lamp Socket
<b>UUVS-EXT-W-X</b>	Extension Wire For Remote Mounting (specify length) Priced Per Foot
<b>UUVS-AFS</b>	Air Flow Sensor
<b>UUVS-PITT</b>	Pitot Tube For Air Flow Sensor
<b>UUVS-HQGSKT</b>	Air Sealing Gasket
<b>UUVS-HQ-PS</b>	Power Supply Board with Push In Terminals. Please specify 120V or 220V
<b>UUVS-HQ-DISP</b>	Replacement Display Board
<b>UUVS-HQ-SLTB</b>	Silicon Tubing, Priced Per Foot

**WARRANTY**

<b>BALLAST</b>	THREE YEAR
<b>LAMP</b>	6 MONTHS
<b>SYSTEM</b>	ONE YEAR

This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.




PRODUCT	
<b>UUVS-C-12</b>	12" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-18</b>	18" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-24</b>	24" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-30</b>	30" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-40</b>	40" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-50</b>	50" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-C-60</b>	60" Germicidal (UVC) Coil Sanitizer for Commercial Use. Supplied with 10' Plenum Rated Cable
<b>UUVS-LM-1CH</b>	Single Channel Lamp Monitor with LED Indication and BMS Alarm
<b>UUVS-LM-2CH</b>	Dual Channel Lamp Monitor with LED Indication and BMS Alarm
<b>UUVS-LM-6CH</b>	Six Channel Lamp Monitor with LED Indication and BMS Alarm

REPLACEMENT PARTS	
<b>UUVS-C-LMP12</b>	12" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP18</b>	18" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP24</b>	24" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP30</b>	30" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP40</b>	40" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP50</b>	50" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP60</b>	60" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-EXTR</b>	Commercial Extrusion (specify length) Priced Per Foot
<b>UUVS-C-MTF</b>	Mounting Flange (Set of 2)
<b>UUVS-C-MTC</b>	Mounting Conduit, Galvanized, 3/4" Ø. Priced Per Foot
<b>UUVS-C-LMPCLP</b>	High Tension, Stainless Steel, Lamp Mounting Clip (Set of 2)
<b>UUVS-C-LMPCAP</b>	High Grade Silicon, Moisture Resistant Lamp Cap
<b>UUVS-LS</b>	Lamp Socket
<b>UUVS-BUV-U110</b>	Replacement Ballast for 40", 50", 60" Lamp Systems. Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-BUV-UNI37</b>	Replacement Ballast for 12", 18", 24", 30" Lamp Systems. Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-FEP4X18AWG</b>	FEP Rated Cable, 4 Conductor, 18 Gauge, Stranded. Priced Per Foot
<b>UUVS-C-INTSW</b>	Interlock Safety Switch (Light Duty)
<b>UUVS-C-INTSWHD</b>	Interlock Safety Switch (Heavy Duty)

WARRANTY	
<b>BALLAST</b>	THREE YEAR
<b>LAMP</b>	ONE YEAR
<b>SYSTEM</b>	ONE YEAR

This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.



PRODUCT	
<b>UUVS-OEM-12</b>	120V, 12" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-18</b>	120V, 18" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-24</b>	120V, 24" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-30</b>	120V, 30" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-40</b>	120V, 40" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-50</b>	120V, 50" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use
<b>UUVS-OEM-60</b>	120V, 60" Germicidal (UVC) Coil Sanitizer for Commercial OEM Use

REPLACEMENT PARTS	
<b>UUVS-C-LMP12</b>	12" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP18</b>	18" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP24</b>	24" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP30</b>	30" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP40</b>	40" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP50</b>	50" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMP60</b>	60" Germicidal (UVC) Replacement Lamp, Made In USA, 18000 Operating Hours
<b>UUVS-C-LMPCLP</b>	High Tension, Stainless Steel, Lamp Mounting Clip (Set of 2)
<b>UUVS-C-LMPCAP</b>	High Grade Silicon, Moisture Resistant Lamp Cap
<b>UUVS-OEMMT</b>	Stainless Steel OEM Mounting Bracket (Set of 2)
<b>UUVS-LS</b>	Lamp Socket
<b>UUVS-BUV-U110</b>	Replacement Ballast for 40", 50", 60" Lamp Systems. Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-BUV-UNI37</b>	Replacement Ballast for 12", 18", 24", 30" Lamp Systems. Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-FEP4X18AWG</b>	FEP Rated Cable, 4 Conductor, 18 Gauge, Stranded. Priced Per Foot
<b>UUVS-LM-1CH</b>	Single Channel Lamp Monitor with LED Indication and BMS Alarm
<b>UUVS-LM-2CH</b>	Dual Channel Lamp Monitor with LED
<b>UUVS-LM-6CH</b>	Six Channel Lamp Monitor with LED Indication
<b>UUVS-C-INTSW</b>	Interlock Safety Switch (Light Duty)
<b>UUVS-C-INTSWHD</b>	Interlock Safety Switch (Heavy Duty)

WARRANTY	
<b>BALLAST</b>	THREE YEAR
<b>SYSTEM</b>	ONE YEAR

This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.



<b>PRODUCT</b>	
<b>WM-317</b>	Wall Mounted UVC, HEPA and Activated Carbon Air Purification System, 120V 50/60Hz (Specify Power Plug), H13, ≥99.95%, ≤0.3µm
<b>WM-317-220</b>	Wall Mounted UVC, HEPA and Activated Carbon Air Purification System, 220V 50/60Hz (Specify Power Plug), H13, ≥99.95%, ≤0.3µm
<b>WM-317-ULPA</b>	Wall Mounted UVC, ULPA and Activated Carbon Air Purification System (Specify 120V or 220V, 50/60Hz and Power Plug) U15, ≥99.9995%, ≤0.12µm
<b>WM-317-MC</b>	Maintenance contract for WM-317
<b>WM-317-RC</b>	Remote control for WM-317

<b>REPLACEMENT PARTS</b>	
<b>UUVS-LCD16CTL</b>	LCD Control Board (specify 120V or 220V, 50/60Hz) *Custom options apply for number of lamps, replacement cycles, door options and others. Please contact us for customization.
<b>UUVS-WM-ACFPF</b>	Activated Carbon Pre-Filter
<b>UUVS-WM-HF</b>	HEPA Filter, H13, ≥99.95%, ≤0.3µm
<b>UUVS-WM-ULPA</b>	ULPA Filter, U15, ≥99.9995%, ≤0.12µm
<b>UUVS-WM-L4P</b>	Replacement Lamp for WM-317
<b>UUVS-BUV-UNI37</b>	Replacement Ballast - Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-C-LMPCLP</b>	High Tension, Stainless Steel, Lamp Mounting Clip (Set of 2)
<b>UUVS-WM-RK1</b>	Full One Year Replacement Kit for WM-317. Includes Four Activated Carbon Pre-Filter(s), HEPA Filter and a One Year Rated UV Lamp
<b>UUVS-WM-URK1</b>	Full One Year Replacement Kit for WM-317. Includes Four Activated Carbon Pre-Filter(s), ULPA Filter and a One Year Rated UV Lamp
<b>UUVS-WM-RK2</b>	Full Two Year Replacement Kit for WM-317. Includes Eight Activated Carbon Pre-Filters, HEPA Filters and UV Lamp(s)
<b>UUVS-WM-URK2</b>	Full Two Year Replacement Kit for WM-317. Includes Eight Activated Carbon Pre-Filters, ULPA Filters and UV Lamp(s)
<b>UUVS-WM-M120</b>	120V Replacement Motor
<b>UUVS-WM-M220</b>	230V Replacement Motor
<b>UUVS-WM-M120-CAP</b>	Run Capacitor for 120V Motor
<b>UUVS-WM-M220-CAP</b>	Run Capacitor for 220V Motor
<b>UUVS-LS-W</b>	Wired Lamp Socket
<b>UUVS-WM-DMS</b>	Door Microswitch
<b>UUVS-WM-KS</b>	Maintenance Keyswitch
<b>UUVS-WM-KSK</b>	Keys for WM-317 (Set of 2)
<b>UUVS-WM-PC-US</b>	Power Cord (US)
<b>UUVS-WM-PC-A</b>	Power Cord (Australia/NZ)
<b>UUVS-WM-PC-EU</b>	Power Cord (Europe)
<b>UUVS-WM-PC-ENG</b>	Power Cord (England)
<b>UUVS-WM-TSC</b>	Thumb Screws (Set of 4)
<b>UUVS-WM-TG</b>	Top Louvered Grill
<b>UUVS-WM-BPC</b>	Bottom Perforated Cover
<b>UUVS-WM-FPFC</b>	Front Pre-Filter Cover
<b>UUVS-WM-BF</b>	Blower Flange
<b>UUVS-WM-DSTS</b>	Dust Sensor, for ≥ 1µm particle, prewired
<b>UUVS-WM-STB</b>	Silicon TEP Tubing. Priced Per Foot

<b>WARRANTY</b>	
<b>BALLAST</b>	LIFETIME
<b>LAMP</b>	ONE YEAR
<b>SYSTEM</b>	ONE YEAR


This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.



PRODUCT	
<b>UUVS-CBAR</b>	Germicidal (UVC) Surface Cleaner for Ice Machines with a FEP Sleeved, Shatterproof, T5 Lamp
<b>UUVS-CBAR-D</b>	Germicidal (UVC) Surface Cleaner for Ice Machines with Dual FEP Sleeved, Shatterproof, T5 Lamps

REPLACEMENT PARTS	
<b>UUVS-BUV-UNI37</b>	Replacement Ballast - Electronic Ballast, 120/277V 50/60Hz Wide Range, Auto Sensing, Universal Voltage
<b>UUVS-FEP4X18AWG</b>	FEP Cable, 4 Conductor, 18 Gauge, Stranded. Price Per Foot
<b>UUVS-C-LMPCAP</b>	High Grade Silicon, Moisture Resistant Lamp Cap
<b>UUVS-CBAR-LMP</b>	Replacement Lamp for Clear Blue® Arctic
<b>UUVS-LS</b>	6' Prewired Lamp Socket
<b>UUVS-CBAR-RFLTR</b>	Replacement Reflector for Clear Blue® Arctic
<b>UUVS-C-LMPCLPT5</b>	High Tension, Stainless Steel, Lamp Mounting Clip (Set of 2)
<b>UUVS-CBAR-VS</b>	Protective Vinyl Sheet
<b>UUVS-C-INTSW</b>	Interlock Safety Switch (Light Duty)
<b>UUVS-C-INTSWHD</b>	Interlock Safety Switch (Heavy Duty)

WARRANTY	
<b>BALLAST</b>	LIFETIME
<b>LAMP</b>	TWO YEAR



PRODUCT	
<b>UVT-RAD-100DL</b>	Advanced UV Radiometer to monitor any UV lamp system and to ensure efficient and timely lamp replacement. Supplied with Universal Power Supply, UVC (254.8nm) Sensor in a Metal Housing and a 7' Interface Wire

REPLACEMENT PARTS	
<b>UVT-RAD-SENS</b>	254.8nm, UVC specific Sensor
<b>UVT-RAD-SENS-C7</b>	7' Cable for UVC Sensor
<b>UVT-RAD-24PS</b>	Power Supply for UVT-RAD-100DL, Universal Voltage, UL Listed
<b>UVT-RAD-OVR</b>	Front Overlay Keypad

WARRANTY	
<b>SYSTEM</b>	ONE YEAR

This document is proprietary and confidential. No part of this document may be disclosed in any matter to a third party without the prior written consent of Universal UV Solutions™. The information contained herein is expressly disclaimed for any representation or warranty. Due to a program of continuous improvement the product specifications may change at any time.